

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Колмна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

<https://pov.nt-rt.ru> || pvo@nt-rt.ru

Automatic Control valves



Pneumatic butterfly valve

	Body: ASTM A536 65-45-12、WCB、CF8、CF8M Disc: ASTM A536 65-45-12、CF8、CF8M、2507、1.4462 Seat: EPDM、NBR、VITON Stem: SS420、SS430 Connection: Wafer type Size: DN50-DN1500 Pressure: 16bar for DN50-DN300 10bar for DN350-DN1500 Flange: EN1092 PN10/16, ASME B16.5 Class 150 JIS B2239 5K/10K/16K,BS10 Table D/E Pneumatic actuator: Double acting、Single acting Accessories: Solenoid valve、Limit switch box、E/P Positioner、Hand wheel
	Body: ASTM A536 65-45-12、WCB、CF8、CF8M Disc: ASTM A536 65-45-12、CF8、CF8M、2507、1.4462 Seat: EPDM、NBR、VITON Stem: SS420、SS430 Connection: LUG type Size: DN50-DN1500 Pressure: 16bar for DN50-DN300 10bar for DN350-DN1500 Flange: EN1092 PN10/16, ASME B16.5 Class 150 JIS B2239 5K/10K/16K,BS10 Table D/E Pneumatic actuator: Double acting、Single acting Accessories: Solenoid valve、Limit switch box、E/P Positioner、Hand wheel
	Body: ASTM A536 65-45-12、WCB、CF8、CF8M Disc: ASTM A536 65-45-12、CF8、CF8M、2507、1.4462 Seat: EPDM、NBR、VITON Stem: SS420、SS430 Connection: Flanged type Size: DN50-DN1500 Pressure: 16bar for DN50-DN300 10bar for DN350-DN1500 Flange: EN1092 PN10/16, ASME B16.5 Class 150 JIS B2239 5K/10K/16K,BS10 Table D/E Pneumatic actuator: Double acting、Single acting Accessories: Solenoid valve、Limit switch box、E/P Positioner、Hand wheel
	Body: WCB、CF8、CF8M Disc: CF8、CF8M、2507、1.4462 Seat: PTFE、RPTFE、SS316 Stem: 17-4, 1.4462 Connection: Wafer、LUG Size: DN50-DN600 Pressure: Class150、Class300 Flange: ASME B16.5,Class150,Class300 EN1092 PN16,PN25,PN40 Pneumatic actuator: Double acting、Single acting Accessories: Solenoid valve、Limit switch box、E/P Positioner、Hand wheel

Pneumatic butterfly valve

	Body: ASTM A536 65-45-12、WCB、CF8、CF8M Disc: CF8M+FEP lined, CF8+EPDM lined Seat: PTFE Stem: SS420、SS430 Connection: Wafer type Size: DN50-DN1500 Pressure: 16bar for DN50-DN300 10bar for DN350-DN1500 Flange: EN1092 PN10/16, ASME B16.5 Class 150 JIS B2239 5K/10K/16K, BS10 Table D/E Pneumatic actuator: Double acting、Single acting Accessories: Solenoid valve、Limit switch box、E/P Positioner、Hand wheel
	Body: UPVC、CPVC、PP Disc: UPVC、CPVC、PP Seat: EPDM、NBR Stem: SS420、SS430 Connection: Wafer、LUG type Size: DN50-DN300 Pressure: 10bar for DN50-DN300 Flange: EN1092 PN10/16, ASME B16.5 Class 150 JIS B2239 5K/10K/16K, BS10 Table D/E Pneumatic actuator: Double acting、Single acting Accessories: Solenoid valve、Limit switch box、E/P Positioner、Hand wheel

Pneumatic ball valve

	Body: WCB、CF8、CF8M、CF3M Disc: SS304、SS316、SS316L Seat: PTFE、RPTFE Connection: Flange Size: DN15-DN200 Pressure: PN16、PN25、PN40 Flange: EN1092 PN16/25/40, ASME B16.5 Class 150\300 JIS B2239 10K/20K Pneumatic actuator: Double acting、Single acting Accessories: Solenoid valve、Limit switch box、E/P Positioner、Hand wheel
	Body: WCB、CF8、CF8M、CF3M Disc: SS304、SS316、SS316L Seat: PTFE、RPTFE Connection: Thread Size: DN15-DN200 Pressure: PN16、PN25、PN40 Thread standard: G、NPT、BSPT、BSPP Pneumatic actuator: Double acting、Single acting Accessories: Solenoid valve、Limit switch box、E/P Positioner、Hand wheel


Pneumatic ball valve

	Body: WCB、CF8、CF8M、CF3M Body type: T type、L type Disc: SS304、SS316、SS316L Seat: PTFE、RPTFE Connection: Flange Size: DN15-DN200 Pressure: PN16、PN25、PN40 Flange: EN1092 PN16/25/40, ASME B16.5 Class 150\300 JIS B2239 10K/20K Pneumatic actuator: Double acting、Single acting Accessories: Solenoid valve、Limit switch box、E/P Positioner、Hand wheel
	Body: WCB、CF8、CF8M、CF3M Body type: T type、L type Disc: SS304、SS316、SS316L Seat: PTFE、RPTFE Connection: Thread Size: DN15-DN200 Pressure: PN16、PN25、PN40 Thread standard: G、NPT、BSPT、BSPP Pneumatic actuator: Double acting、Single acting Accessories: Solenoid valve、Limit switch box、E/P Positioner、Hand wheel




Electric butterfly valve

	Body: ASTM A536 65-45-12、WCB、CF8、CF8M Disc: ASTM A536 65-45-12、CF8、CF8M、2507、1.4462 Seat: EPDM、NBR、VITON Stem: SS420、SS430 Connection: Wafer type Size: DN50-DN1500 Pressure: 16bar for DN50-DN300 10bar for DN350-DN1500 Flange: EN1092 PN10/16, ASME B16.5 Class 150 JIS B2239 5K/10K/16K, BS10 Table D/E Electric actuator: ON-OFF type、Regulated type Power: AC220V、AC110V、AC380V、DC24V、DC12V、DC220V
	Body: ASTM A536 65-45-12、WCB、CF8、CF8M Disc: ASTM A536 65-45-12、CF8、CF8M、2507、1.4462 Seat: EPDM、NBR、VITON Connection: LUG type Size: DN50-DN1500 Pressure: 16bar for DN50-DN300 10bar for DN350-DN1500 Flange: EN1092 PN10/16, ASME B16.5 Class 150 JIS B2239 5K/10K/16K, BS10 Table D/E Electric actuator: ON-OFF type、Regulated type Power: AC220V、AC110V、AC380V、DC24V、DC12V、DC220V

Electric butterfly valve

	Body: WCB、CF8、CF8M Disc: CF8、CF8M、2507、1.4462 Seat: PTFE、RPTFE、SS316 Stem: 17-4, 1.4462 Connection: Wafer、LUG Size: DN50-DN600 Pressure: Class150、Class300 Flange: ASME B16.5,Class150,Class300 EN1092 PN16,PN25,PN40 Electric actuator: ON-OFF type、Regulated type Power: AC220V、AC110V、AC380V、DC24V、DC12V、DC220V
	Body: ASTM A536 65-45-12、WCB、CF8、CF8M Disc: ASTM A536 65-45-12、CF8、CF8M、2507、1.4462 Seat: EPDM、NBR、VITON Stem: SS420、SS430 Connection: Flanged type Size: DN50-DN1500 Pressure: 16bar for DN50-DN300 10bar for DN350-DN1500 Flange: EN1092 PN10/16, ASME B16.5 Class 150 JIS B2239 5K/10K/16K,BS10 Table D/E Electric actuator: ON-OFF type、Regulated type Power: AC220V、AC110V、AC380V、DC24V、DC12V、DC220V
	Body: ASTM A536 65-45-12、WCB、CF8、CF8M Disc: CF8M+FEP lined, CF8+EPDM lined Seat: PTFE Stem: SS420、SS430 Connection: Wafer type Size: DN50-DN1500 Pressure: 16bar for DN50-DN300 10bar for DN350-DN1500 Flange: EN1092 PN10/16, ASME B16.5 Class 150 JIS B2239 5K/10K/16K,BS10 Table D/E Electric actuator: ON-OFF type、Regulated type Power: AC220V、AC110V、AC380V、DC24V、DC12V、DC220V
	Body: UPVC、CPVC、PP Disc: UPVC、CPVC、PP Seat: EPDM、NBR Stem: SS420、SS430 Connection: Wafer、LUG type Size: DN50-DN300 Pressure: 10bar for DN50-DN300 Flange: EN1092 PN10/16, ASME B16.5 Class 150 JIS B2239 5K/10K/16K,BS10 Table D/E Electric actuator: ON-OFF type、Regulated type Power: AC220V、AC110V、AC380V、DC24V、DC12V、DC220V

Electric ball valve

	Body: WCB、CF8、CF8M、CF3M Ball: SS304、SS316、SS316L Seat: PTFE、RPTFE Connection: Flange Size: DN15-DN200 Pressure: PN16、PN25、PN40 Flange: EN1092 PN16/25/40, ASME B16.5 Class 150\300 JIS B2239 10K/20K Electric actuator: ON-OFF type、Regulated type Power: AC220V、AC110V、AC380V、DC24V、DC12V、DC220V
	Body: WCB、CF8、CF8M、CF3M Ball: SS304、SS316、SS316L Stem: SS304 Seat: PTFE、RPTFE Connection: Thread Size: DN15-DN200 Pressure: PN16、PN25、PN40 Thread standard: G、NPT、BSPT、BSPP Electric actuator: ON-OFF type、Regulated type Power: AC220V、AC110V、AC380V、DC24V、DC12V、DC220V
	Body: WCB、CF8、CF8M、CF3M Ball: SS304、SS316、SS316L Body type: T type、L type Stem: SS304 Seat: PTFE、RPTFE Connection: Flange Size: DN15-DN200 Pressure: PN16、PN25、PN40 Flange: EN1092 PN16/25/40, ASME B16.5 Class 150\300 JIS B2239 10K/20K Electric actuator: ON-OFF type、Regulated type Power: AC220V、AC110V、AC380V、DC24V、DC12V、DC220V
	Body: WCB、CF8、CF8M、CF3M Ball: SS304、SS316、SS316L Body type: T type、L type Seat: PTFE、RPTFE Connection: Clamp type Size: DN15-DN200 Pressure: PN16、PN25、PN40 Thread standard: G、NPT、BSPT、BSPP Electric actuator: ON-OFF type、Regulated type Power: AC220V、AC110V、AC380V、DC24V、DC12V、DC220V

Control valve

	Pneumatic control valve Body: WCB、CF8、CF8M、CF3M Seat: SS304,SS316+STL Body type: Single seat,sleeve Connection: Flange Size: DN15-DN200 Pressure: PN16、PN25、PN40、PN64、PN100 Flange: EN1092 PN16\25\40\64, ASME B16.5 Class 150\300\600 JIS B2239 10K/20K Pneumatic actuator: Double acting、Single acting Accessories: Solenoid valve、Limit switch box、E/P Positioner、Hand wheel
	Electric control valve Body: WCB、CF8、CF8M、CF3M Seat: SS304,SS316+STL Body type: Single seat,sleeve Connection: Flange Size: DN15-DN200 Pressure: PN16、PN25、PN40、PN64、PN100 Flange: EN1092 PN16\25\40\64, ASME B16.5 Class 150\300\600 JIS B2239 10K/20K Electric actuator: ON-OFF type、Regulated type Power: AC220V、AC110V、AC380V、DC24V、DC12V、DC220V
	Pneumatic Angle seat valve Body: WCB、CF8、CF8M、CF3M Seat: PTFE、RPTFE Connection: Flange、Thread, clamp, welding Size: DN15-DN200 Pressure: PN16、PN25 Flange: EN1092 PN16,ASME B16.5 Class 150 JIS B2239 10K Pneumatic actuator: Double acting、Single acting Accessories: Solenoid valve、Limit switch box、E/P Positioner、Hand wheel
	Pneumatic Angle seat valve Body: WCB、CF8、CF8M、CF3M Seat: PTFE、RPTFE Connection: Flange、Thread, clamp, welding Size: DN15-DN200 Pressure: PN16、PN25 Flange: EN1092 PN16,ASME B16.5 Class 150 JIS B2239 10K Pneumatic actuator: Double acting、Single acting Accessories: Solenoid valve、Limit switch box、E/P Positioner、Hand wheel

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Колומна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

<https://pov.nt-rt.ru> || pvo@nt-rt.ru